

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6738813".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 07:53
S2	2	"6697836".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 07:55
S3	0	S2 and compatib\$5	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:50
S4	0	S2 and convert\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 07:55
S5	1	S2 and process\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:18
S6	1	S2 and mediat\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:18
S7	1	S2 and mediat\$3 with agent	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:25
S8	1	S2 and synchron\$6	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:25
S9	1	S2 and synchron\$7	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:35

S10	1	S2 and (intergrat\$3 synchron\$7)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:27
S11	1	S2 and (integrat\$3 synchron\$7)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:48
S12	1114	(convert\$3 translat\$3 transform\$3) with (message service packet information) with (terminal console client workstation) with (attribute type)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:35
S13	1	S2 and (integrat\$3 synchron\$7) same (condition)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 08:49
S14	1	S2 and condition adj information	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:17
S17	2	"6697836".pn.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:26
S18	1	S17 and format	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 10:58
S19	1	S17 and environment	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:16
S20	0	S17 and display	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:17

S21	1	S17 and service adj interface	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:17
S22	184	(ic adj card removable adj memory) and (convert\$3 translat\$3 transform\$3) with (terminal client workstation console) with (attribute type display)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 11:28
S23	25	(ic adj card removable adj memory) and (convert\$3 translat\$3 transform\$3) with (terminal client workstation console) near (attribute type display)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:49